

Quotation Request //

US Government Printing Office

Agency Publishing Services
732 North Capitol Street, NW
Washington DC 20401-0001

JACKET:351-291

Quotations are Due By:

(Eastern Time)10:00 AM on 01/05/2009

Submit Fax Quotes to:00000000

Contractors must provide mandatory taxpayer information before GPO makes payment.

Please see special notice on <http://contractorconnect.gpo.gov/>.

TITLE: Taking Shelter from the Storm/CD

QUANTITY: 15482 CD's inserted in Jewel Case.--- ALL QUOTES MUST BE SUBMITTED ONLINE @ CONTRACTORCONNECT.GPO.GOV OR MUST BE FAXED TO THE ATTENTION OF TEAM 6 @ 1-202-512-0035. LATE QUOTES WILL NOT BE ACCEPTED. ---

TRIM SIZE:

SCHEDULE:

Furnished Material will be available for pickup by 01/05/2009

Deliver complete (to arrive at destination) by 01/16/2009

F.O.B. destination

QUALITY LEVEL: 3 Quality Assurance Through Attributes (GPO PUB 310.1, effective May 1979 (Rev. 8-02)) applies.

DESCRIPTION:

GPO Publication 310.2, GPO Contract Terms, Contract Clause 5. Disputes, is hereby replaced with the June 2008 clause found at www.gpo.gov/printforms/pdf/contractdisputes.pdf. This June 2008 clause also cancels and supersedes any other disputes language currently included in existing contractual actions.

REDOMINANT PRODUCTION FUNCTION: The predominant production function for this procurement is CD-ROM or DVD duplication/replication

DESCRIPTION: Contractor must furnish all materials and services as required to create CD-ROM disks from a furnished recordable type CD-R. Contractor must read the data from the CD-R and premaster it into the ISO 9660 format.

Note: Delivered CD-ROMS must conform to the International Organization for Standardization (ISO)/International Electrotechnical Commission (IEC) International Standard 10149, "Information Technology - Data Interchange on Read-Only 120 mm Optical Data Disks (CD-ROM)," and ISO International Standard 9660, "Information Processing - Volume and File Structure of CD-ROM for Information Interchange."

NOTICE:

CD-ROM or DVD DUPLICATION/REPLICATION. Several firms claim patent rights, which may be applicable to CD-ROM or DVD replication. For example, see <http://www.licensing.philips.com>. U.S. Philips Corporation and Sony Corporation claim to hold patents for certain technologies essential to the manufacture and replication of CD-ROMs and DVDs and assert it is impossible to manufacture or replicate a CD-ROM or DVD without infringing these patents. The patent claims cover, among other things, both the physical structure of and manner in which data is encoded on a CD-ROM or DVD. Other firms, including Discovision Associates, Irvine, CA, also claim similar patent rights.

Each bidder's attention is invited to the patent indemnification provisions of GPO Contract Terms (Pub. 310.2 (Rev. 6-01)) since the successful bidder will be responsible for compliance with all applicable

patents, including any for CD-ROMs or DVDs.

By submission of a bid, bidders certify that they hold a license under all patents applicable to their duplication/replication of CD-ROMs or DVDs.

CHECK DISC: Contractor must produce one Compact Disc Recordable (CD-R) Check Disc which shall have the same structure and content as the final CD-ROM for Government inspection prior to duplication/replication of the ordered quantity. Although the Check Disc will not be required to be printed, it must have written identification thereon and must be placed in a slimline jewel case.

Face of CD prints in builds of the process colors, tints/solids with reversing and type & line matter (background must be opaque white).

Insert prints face and back, type and illustration matter in builds of the process inks with uncommon bleeds all four sides. contractor to place insert in a jewel case, face out.

MATERIAL FURNISHED: Contractor to pickup at GPO. One complete set of laser composites. One CD for Replication/Duplication. One CD-ROM generated on a MAC Operating System 10.3.9 using Adobe InDesign CS3 Version 4.0, Adobe Illustrator CS3 Version 12, Adobe PhotoShop CS3 Version 10, in Native Format.

Prior to image processing, the contractor is responsible for checking files contained on the furnished media to insure that such features as bleeds, register marks, and correct file output selection have been provided for, so as to correctly generate output for printing. The contractor must supply necessary trapping. Output must be generated on high resolution image processors.

COLOR OF INK:

MARGINS:

PROOFS:

2 sets of digital color content proofs of the insert. At contractor's option, a film-based composite blueline may be submitted. Proofs must be created using the same Raster Image Processor (RIP) that will be used to produce the product. Proofs shall be collated with all elements in proper position (not pasted up), imaged face and back, trimmed, and folded to the finished size of the product.

2 sets of SWOP certified digital off-press proofs of the inset. At contractor's option, a film-based composite laminated color proof may be submitted. Proofs must be created using the same Raster Image Processor (RIP) that will be used to produce the product. For a list of certified systems, see: www.swop.org/certmfg.html.

Send proofs together with the furnished media (copy, transparencies, electronic files) directly to: FEMA Headquarters, Attn: Yvette Williams 202-646-3290 Rm. 701, 1800 South Belle Street, Arlington, VA 20598-3020. Contractor must call GPO Contract Compliance Section at (202) 512-0520 immediately upon sending/delivering proofs and immediately upon notification that the proofs are available for pickup at the department. Proofs will be withheld not more than 5 workdays from receipt in the department to when they are made available for pickup at the department. **CONTRACTOR MUST NOT PRINT PRIOR TO RECEIVING AN "OK TO PRINT"**.

PACKING:

Pack suitable per shipping container.

DISTRIBUTION:

Deliver 14,995 copies including 125 Departmental Random Assurance (Blue Label) copies to: FEMA Distribution Center, Attn: Chris Greenerwalt 301-362-5310, 8241-A Sandy Court, Jessup, MD 20794.

Deliver Government Furnished Material and 5 copies to: FEMA, Attn: Yvette Williams, 202-646-3290, Rm. 701, 1800 South Bell Street, Arlington, VA 20598-3020.

QUALITY ASSURANCE LEVELS AND STANDARDS: The following levels and standards shall apply to these specifications:

Inspection Levels (from ANSI/ASQC Z1.4):

(a) Non-destructive Tests -- General Inspection Level I.

(b) Destructive Tests -- Special Inspection Level S-2.

Specified Standards-- The specified standards for the attributes requiring them shall be:

ATTRIBUTE	SPECIFIED STANDARD
P-7. Type Quality and Uniformity	Approved Proofs
P-10. Process Color Match	Electronic media