

# Quotation Request //

## US Government Printing Office

Agency Publishing Services  
732 North Capitol Street, NW  
Washington DC 20401-0001

**JACKET:351-612**

### Quotations are Due By:

(Eastern Time)10:00 AM on 01/30/2009

Submit Fax Quotes to:00000000

**Contractors must provide mandatory taxpayer information before GPO makes payment.**

Please see special notice on <http://contractorconnect.gpo.gov/>.

---

**TITLE:** HOLD STICKERS

**QUANTITY:** 8000 STICKERS (Includes 80 Departmental Random "Blue Label" copies).

\*\*\*\*\*CONTRACTOR TO SUBMIT BID VIA CONTRACTOR CONNECT OR FAX TO (202)  
512-1581/1368.\*\*\*\*\*

**TRIM SIZE:** 8-1/2 x 11"

**PAGES:** Face Only

### **SCHEDULE:**

Furnished Material will be available for pickup by 01/30/2009

Deliver complete (to arrive at destination) by 02/09/2009

F.O.B. destination

**QUALITY LEVEL:** 3 Quality Assurance Through Attributes (GPO PUB 310.1, effective May 1979 (Rev. 8-02)) applies.

### **DESCRIPTION:**

\*\*\*CONTRACTOR MUST RE-CREATE A CRACK & PEEL STICKER AND TYPESET TO MAINTAIN SHARP PRINTING, MUST USE SAME OR SIMILAR TYPEFACE, SIZE, AND STYLE AS ON FILE.

NOTE: Use page 8 ONLY on electronic file for sample of Sticker (not to size, contractor to enlarge for printing).

Clear, sharp, printing required. Must have fade resistant inks and have good adherence to the vinyl sheeting.

Face of sheeting prints in black type/line matter on a solid process orange background. After printing, coat the entire surface of the face of the sticker with a clear, protective coating.

FADE RESISTANCE: The inks used must not show any appreciable change in color after exposure in an Atlas Fadeometer for 170 standard fading hours or its equivalent.

CONSTRUCTION: Coat the back of each label with a permanent type, pressure sensitive adhesive and mount on a same size slit backing sheet (slit shall be near bottom of decal for easy removal).

**MATERIAL FURNISHED:** Contractor to pickup at GPO. One CD-Rom generated on an IBM using Microsoft Word. Files are supplied in Native Application. \*\*Contractor must create layout.

One GPO Form 952 Desktop Publishing-Disk Information.

Prior to image processing, the contractor is responsible for performing a basic check (preflight) of the furnished publishing files to assure accurate output of the required reproduction image. Any errors, media damage or data corruption that might interfere with proper file imaging must be reported to the contract administrator. Contractor must notify the Government as soon as necessary in order to comply with the shipping schedule.

In addition, the contractor is responsible for creating or altering any necessary trapping, setting proper screen angles and screen frequency, and defining file output selection for the imaging device being utilized. All furnished files must be imaged as necessary to meet assigned quality level.

**PAPER:** \* Must be in accordance with JCP Paper Specification Standards in effect on date of this order  
\*Equivalent to White Flexible Vinyl, 0.003 to 0.004" thick.

**COLOR OF INK:**

black and Pantone 021 Orange.

**PRINT PAGE:** One Side Only

**MARGINS:**

Follow electronic Media. Adequate gripper.

**PROOFS:**

**PRIOR TO PRODUCTION SAMPLES:** The sample requirement for this contract is not less than 1 printed sample. Each sample must be constructed as specified using the form, materials, equipment, and methods of production, which will be used in producing the final product. All samples shall be manufactured at the facilities in which the contract production quantities are to be manufactured.

Send proofs or prior to production samples together with the furnished media (lasers and electronic files) using the furnished revised preaddressed proof label (GPO Form 892) which must be filled in by the contractor and used on all proof packages. Send proofs directly to: USCG, Attn: LCDR Douglas Lincoln, 6500 S MacArthur Blvd, Oklahoma City, OK 73169. (405)954-8983.

Contractor must call GPO Contract Compliance Section at (202) 512-0520 immediately upon sending/ delivering proofs and immediately upon notification that the proofs are available for pickup at the department.

Proofs will be withheld not more than 1 workdays from receipt in the department until they are made available for pickup by the contractor.

**CONTRACTOR MUST NOT PRINT PRIOR TO RECEIVING AN "OK TO PRINT".**

**BINDING:**

Trim 4 sides.

**PACKING:**

Pack suitable in shipping containers.

**DISTRIBUTION:**

**F.O.B. DESTINATION:** (TO ARRIVE AT DESTINATION ON OR BEFORE SCHEDULED DELIVERY DATE).

Deliver 8,000 stickers plus 80 Departmental Rancom "blue label" copies to: USCG, Attn: LCDR Douglas

Lincoln, 6500 S MacArthur Blvd, Oklahoma City, OK 73169. (405)954-8983.

QUALITY ASSURANCE STANDARDS: The following standards shall apply to these specifications:

Inspection Levels (from ANSI/ASQC Z1.3):

- (a) Non-destructive Tests -- General Inspection Level 1.
- (b) Destructive Tests -- Special Inspection Level S-2.

Specified standards to correspond with each required attribute as follows:

ATTRIBUTE	Specified Standard
P-7. Type Quality and Uniformity-----	Furnished media/OK Prior to Production Sample
P-9. Solid and Screen Tint Color Match-----	Pantone Match System/OK Prior to Production Sample