

# Quotation Request //

## US Government Printing Office

Atlanta Regional Printing Procurement Office  
1888 Emery St., Suite 110  
Atlanta GA 30318-2566

**JACKET:524-152**

### Quotations are Due By:

(Eastern Time)11:00 AM on 01/30/2009

Submit Fax Quotes to:(404) 605-9185

**Contractors must provide mandatory taxpayer information before GPO makes payment.**

Please see special notice on <http://contractorconnect.gpo.gov/>.

---

**TITLE:** WARFIGHTING BLOCK 5 AY2009

**QUANTITY:** 285 Perfect-Bound Books

**TRIM SIZE:** 8-1/2 x 11"

**PAGES:** 624 + wrap around cover

**SCHEDULE:**

Furnished Material will be available for pickup by 01/30/2009

Deliver complete (to arrive at destination) by 02/09/2009

F.O.B. destination

**QUALITY LEVEL:** 3 Quality Assurance Through Attributes (GPO PUB 310.1, effective May 1979 (Rev. 8-02)) applies.

**DESCRIPTION:**

Covers 1, 2, and spine print type, line and screened matter in black. Covers 3 and 4 do not print.

Text prints type, line and screened matter in black.

NOTE: High resolution digital printing (computer to plate) is acceptable as long as Quality Level 3 is maintained. Inkjet printing or color copying (toner) is not acceptable.

**MATERIAL FURNISHED:** Contractor to pickup at GPO. See below.

- See below for electronic media.
- Pagination guide.

---

Electronic Media -

Platform: Unknown

Storage Media: CD

**Software:**

- Page layout furnished via two PDF files.
- Files may contain some low resolution images.
- Contractor **MUST** have the ability to edit PDF files.
- Contractor is not to request that files be converted to a different format. If contractor wishes to convert files to a different format, the final output must be at the same or higher quality.

Output: High resolution output of 150 line screen for all screens and halftones. High resolution output of 1200 or higher DPI for the balance.

Fonts: All fonts are embedded and/or embedded subsets.

A laser visual of the furnished electronic files will be furnished.

Colors identified as CMYK and RGB. Contractor to convert all colors to spot color black.

Additional information:

Identification markings such as register marks, commercial identification marks of any kind, etc., except GPO imprint, form number and revision date, carried in the electronic files, must not print on the finished product.

Prior to image processing, the contractor shall perform a basic check (preflight) of the furnished media and publishing files to assure correct output of the required reproduction image. Any errors, media damage or data corruption that might interfere with proper file image processing must be reported to your contract administrator.

The contractor shall create or edit any necessary trapping, set proper screen angles and screen frequency, and define file output selection for the imaging device being utilized. Furnished files must be imaged as necessary to meet the assigned quality level.

When Post Script Files are not furnished - prior to making revisions, the contractor shall copy the furnished files and make all changes to the copy.

Upon completion of each order, the contractor must furnish final production native application files (digital deliverable) with the furnished media. The digital deliverables must be an exact representation of the final product and shall be returned on the same type of storage media as was originally furnished. The Government will not accept, as digital deliverables, any proprietary file formats other than those supplied, unless specified by the Government.

**PAPER:** \* Must be in accordance with JCP Paper Specification Standards in effect on date of this order

- Text: JCP Code\* A60, Offset Book, White, Basis Size 25 X 38" Basis Weight 50#

- Cover: JCP Code\* L23, Offset Cover, Planetary Purple\*\*, Basis Size 20 X 26", Basis Weight 65#

\*\* Equal in color and finish to Wausau Paper's Astrobrights Planetary Purple.

**COLOR OF INK:**

Black

**PRINT PAGE:** Head to Head

**MARGINS:**

- Follow file setup, adequate gripper.

- Center the spine in all dimensions, the spine should read from head to foot. Contractor to determine spine width and adjust back strip if necessary.

**BINDING:**

- Perfect bind on the 11" side.

- Trim 3 sides.

- Paper Covers: wrap around, trim flush, glued on, grain must run parallel to spine, and score at bind.

- Score Covers 1 and 4; 1/4" from bind for easy opening.

- Drill 3 round holes 5/16" diameter; 4-1/4" center to center; centered on the 11" bind edge. Center of holes suitable from bind without loss of information.

**PACKING:**

- Pack suitable per shipping container.

**DISTRIBUTION:**

- Deliver all copies to: ACW Bookroom, Attn: Chris Bass (334-953-5933), 325 Chennault Circle, Bldg. 1450, Maxwell AFB, AL 36112.

- Return all furnished material under separate cover by traceable means with completed job.

- DISPUTES CLAUSE: GPO Publication 310.2, GPO Contract Terms, Contract Clause 5. Disputes, is hereby replaced with the June 2008 clause found at [www.gpo.gov/printforms/pdf/contractdisputes.pdf](http://www.gpo.gov/printforms/pdf/contractdisputes.pdf). This June 2008 clause also cancels and supersedes any other disputes language currently included in existing contractual actions.

**QUALITY ASSURANCE LEVELS AND STANDARDS:** The following levels and standards shall apply to these specifications:

Inspection Levels (from ANSI/ASQC Z1.4):

- (a) Non-destructive Tests - General Inspection Level I.
- (b) Destructive Tests - Special Inspection Level S-2.

Specified Standards: The specified standards for the attributes requiring them shall be:

Attribute Specified	Specified Standard
P--7 Type Quality and Uniformity	File Setup