

# Quotation Request //

## US Government Printing Office

Agency Publishing Services  
732 North Capitol Street, NW  
Washington DC 20401-0001

**JACKET:040-047**

**Quotations are Due By:**

**(Eastern Time)10:00 AM** on 12/15/2008

**Submit Fax Quotes to:00000000**

**Contractors must provide mandatory taxpayer information before GPO makes payment.**

**Please see special notice on <http://contractorconnect.gpo.gov/>.**

---

**TITLE:** U.S. Capitol Motorcycle Windshield Decal

**QUANTITY:** 110 copies.

--- ALL QUOTES MUST BE SUBMITTED ONLINE @ CONTRACTORCONNECT.GPO.GOV OR MUST BE FAXED TO THE ATTENTION OF TEAM 6 @ 202-512-0035. LATE QUOTES WILL NOT BE ACCEPTED. ---

**TRIM SIZE:** Diamond shape, 2-3/4".

**SCHEDULE:**

Furnished Material will be available for pickup by 12/16/2008

Deliver complete (to arrive at destination) by 01/09/2009

F.O.B. destination

**QUALITY LEVEL:** 2 Quality Assurance Through Attributes (GPO PUB 310.1, effective May 1979 (Rev. 8-02)) applies.

**DESCRIPTION:**

**SECURITY/WARNING:** The contractor shall take all necessary precautions to insure against loss of forms, negatives, or other reproducible at any time prior to delivery by him to a transportation agent or delivery to destination. Proper control and handling must be maintained at all times to prevent any information or materials required to produce the product ordered under these specifications from falling into unauthorized hands. Unless otherwise indicated herein, all extra copies, materials, waste, etc., must be destroyed.

**PRINTING:**

**SCREEN PROCESS PRINTING:**(must be printed via multi-filament mesh with a squeegee) clear, sharp, screen printing required.

Face prints type, partial solid and screened gold with reverse-type (to white base) and black line art with fine screens.

After printing, coat the face of each decals with a clear protective weather resistant coating.

Waterproof ink required.

Ink, vinyl, and adhesive must withstand outdoor weather conditions.

**FADE RESISTANCE:** The inks/paints used must not show any appreciable change in color after exposure in an Atlas Fadeometer for 170 standard fading hours or its equivalent.

Note: 170 hours = 6 months

340 hours = 1 year

**CONSTRUCTION:**

Coat the entire back of each decal with a permanent, pressure sensitive adhesive (adhesive must not damaging to vehicle or vehicle paint), protected by a suitable same size backing sheet/liner with easy removal feature (slit/perforate backing sheet/liner for easy removal across entire 2-3/4").

The adhesive must be suitable for adhering to outside of motorcycle Plexiglas windshields. Decals will be used outdoors and will be exposed to all types of extreme weather conditions (-10 degrees to 105 degrees Fahrenheit). Decals must be tamper proof and must be able to withstand road chemicals, and car wash chemicals/materials.

Removal of decal once it is applied to windshield should result in destruction of decal leaving a minimum of adhesive residue.

**MATERIAL FURNISHED:** One CD generated on a Macintosh with system version 10 using Adobe Illustrator CS3 in native format. Fonts are not furnished.

GPO Form 952 - Desktop Publishing - Disk Information.

Color Composite Visuals and color separated visuals.

**PAPER:** \* Must be in accordance with JCP Paper Specification Standards in effect on date of this order Reflective White vinyl, 0.003-0.006" thick.

**COLOR OF INK:**

Black and Gold (closest match to PMS 8640 metallic).

Waterproof ink required.

**PRINT PAGE:** One Side Only

**MARGINS:**

Follow electronic media. Bleeds all sides.

**PROOFS:**

**PRIOR TO PRODUCTION SAMPLES:** The sample requirement for this contract is not less than 5 printed samples. Each sample must be constructed as specified using the form, materials, equipment, and methods of production which will be used in producing the final product. All samples shall be manufactured at the facilities in which the contract production quantities are to be manufactured.

Samples will be inspected and tested and must comply with the specifications in all respects. If machine processing of the final product is indicated in the specification, the samples will be tested and must function satisfactorily on the equipment indicated.

Samples must be submitted prior to commencement of production of the contract quantity. The contractor must fill in the furnished preaddressed label (GPO Form 892). The samples plus the government furnished material must be submitted to the Government Printing Office in sufficient time, using the furnished label, to allow Government testing of the samples and production and shipment in accordance with the shipping schedule.

The Government will approve, conditionally approve or disapprove the samples within 2 workdays of the receipt thereof. Approval or conditional approval shall not relieve the contractor from complying with the specifications and all other terms and conditions of the contract. A conditional approval shall state any further action required by the contractor. A notice of disapproval shall state the reasons therefore.

If the samples are disapproved by the Government, the Government, at its option, may require the contractor to submit additional samples for inspection and test, in the time and under the terms and conditions specified in the notice of rejection. Such additional samples shall be furnished and necessary

changes made at no additional cost to the Government and with no extension in the shipping schedule. The Government will require the time specified above to inspect and test any additional samples required. In the event the samples are disapproved by the Government, the contractor shall be deemed to have failed to make delivery within the meaning of the default clause in which event this contract shall be subject to termination for default, provided however, that the failure of the Government to terminate the contract for default in such event shall not relieve the contractor of the responsibility to deliver the contract quantities in accordance with the shipping schedule.

In the event the Government fails to approve, conditionally approve or disapprove the samples within the time specified, the Contracting Officer shall automatically extend the shipping schedule in accordance with article 12 "Notice of Compliance with Schedules" of contract clauses in GPO Contract Terms [Pub. No. 310.2 effective December 1, 1987 (Rev. 6-01)].

Manufacture of the final product prior to approval of the samples submitted is at the contractor's risk. Samples will not be returned to the contractor. The cost of all samples shall be included in the contract price for the production quantity.

**PACKING:**

Pack 100 and 10 copies/decals separately.

**DISTRIBUTION:**

Deliver 110 decals to U.S. Government Printing Office, 44 H Street, NW, Washington, DC 20402, Attn: Congressional - Lyle Green (202)512-0224.

**QUALITY ASSURANCE STANDARDS:** The following standards shall apply to these specifications:

Inspection Levels (from ANSI/ASQC Z1.4):

- (a) Non-destructive Tests -- General Inspection Level 1.
- (b) Destructive Tests -- Special Inspection Level S-2.

Specified standards to correspond with each required attribute as follows:

ATTRIBUTE	SPECIFIED STANDARD
P-7. Type Quality and Uniformity	Furnished electronic media
P-9. Solid and Screen Tint Color Match	Pantone Matching System

**DISPUTES** - GPO Publication 310.2, GPO Contract Terms, Contract Clause 5. Disputes, is hereby replaced with the June 2008 clause found at [www.gpo.gov/printforms/pdf/contractdisputes.pdf](http://www.gpo.gov/printforms/pdf/contractdisputes.pdf). This June 2008 clause also cancels and supersedes any other disputes language currently included in existing contractual actions.