

# Quotation Request //

## US Government Printing Office

Agency Publishing Services  
732 North Capitol Street, NW  
Washington DC 20401-0001

**JACKET:346-110**

**Quotations are Due By:**  
**(Eastern Time)10:00 AM** on 09/05/2008  
**Submit Fax Quotes to:00000000**

**Contractors must provide mandatory taxpayer information before GPO makes payment.**  
**Please see special notice on <http://contractorconnect.gpo.gov/>.**

**TITLE:** Junior Ranger Window Clings and Stickers

**QUANTITY:** 51000 PIECES BROKEN OUT AS 2 DIFFERENT ITEMS AS FOLLOWS:

ITEM 1 - 1,000 WINDOW CLINGS (Includes 20-3 up sheets for departmental random "blue label" copies)

ITEM 2 - 50,000 STICKERS (Includes 20-12 up sheets for departmental random "blue label" copies)

NOTE: AT CONTRACTOR'S OPTION "DIGITAL HIGH QUALITY PRINTING" MAY BE USED HOWEVER, OUTPUT MUST BE MET AT QUALITY LEVEL 3 STANDARDS. (EX. Igen, NexPress, Indigo OR similar with output @ an absolute minimum of 600 x 600 dpi).

\*\*\*\*\*

CONTRACTOR may submit quotes via CONTRACTOR CONNECT. Optionally, quotes can be FAXED to either (202) 512-1581 or (202) 512-1368.

\*\*\*\*\*

.  
**TRIM SIZE:** -

Item 1 - WINDOW CLINGS- 11 x 8-1/2" (contains three window clings per 11 x 8-1/2" sheet, the top window cling is 11 x 5-5/16", the second window cling is 6-3/4 x 3-3/16", and the third window cling is 4-1/4 x 3-3/16")

Item 2 - STICKERS - 8-1/2 x 11" (contains 12 round stickers per sheet, each sticker is 2-1/4" in diameter).

.  
**PAGES:** Face only on each item

.  
**SCHEDULE:**

Furnished Material will be available for pickup by 09/08/2008

Deliver complete (to arrive at destination) by 09/19/2008

F.O.B. destination

**QUALITY LEVEL:** 3 Quality Assurance Through Attributes (GPO PUB 310.1, effective May 1979 (Rev. 8-02)) applies.

**DESCRIPTION:**

ITEM 1 - WINDOW CLINGS - Prints in four-color process consisting of type/line matter and illustrations with type reversing out to appear white. Labels to be placed on inside of glass, to be viewed from outside. Contractor to print an opaque white background behind each circle so the type "JUNIOR RANGER EXPLORE, LEARN, PROTECT" appears white. Each 11 x 8-1/2" sheet contains three window clings. One window cling is 11 x 5-5/16", the second window cling is 6-3/4 x 3-3/16", and the third window cling is 4-1/4 x 3-3/16".

NOTE: Must cling to glass surfaces. Must be protected on the cling side with a suitable .010" thick white sheet. Contractor must die cut window cling only (each cling must come off backing sheet as a separate cling), must not penetrate backing sheet. Contractor to supply die.

ITEM 2 - STICKERS - Prints in four-color process consisting of type/line matter and illustrations with type reversing out to appear white.

CONSTRUCTION: Coat back with permanent type pressure sensitive adhesive and mount on a suitable 8-1/2 x 11" backing sheet. Die cut label only, must not penetrate backing sheet, with serrated cut creating 12 identical 2-1/4" diameter stickers per sheet (3 across and 4 down, starting at approximately 11/16" from top and 11/16" from left side). Do NOT remove waste. Contractor to supply die.

**MATERIAL FURNISHED:** Contractor to pickup at GPO. -

ITEM 1 - WINDOW CLINGS - One CD-R formatted on IBM or compatible computer or comparable computer utilizing Adobe InDesign, Adobe Illustrator and Adobe Acrobat. Files are supplied as native files and in PDF.

One composite laser

ITEM 2 - STICKERS - Contractor to pick-up digital file from Item 1 for 2-1/4" diameter sticker and step 12 up on a single 8-1/2 x 11" sheet per the supplied sample.

One previously printed sample

Prior to image processing, the contractor is responsible for performing a basic check (preflight) of the furnished publishing files to assure accurate output of the required reproduction image. Any errors, media damage or data corruption that might interfere with proper file imaging must be reported to the contract administrator. Contractor must notify the Government as soon as necessary in order to comply with the shipping schedule.

In addition, the contractor is responsible for creating or altering any necessary trapping, setting proper screen angles and screen frequency, and defining file output selection for the imaging device being utilized. All furnished files must be imaged as necessary to meet assigned quality level.

**PAPER:** \* Must be in accordance with JCP Paper Specification Standards in effect on date of this order

Item 1 - WINDOW CLINGS - Fasson's Fascling Clear Flexible Vinyl .008" thick or equal.

Item 2 - STICKERS - White uncoated label paper, Basis Weight 50-60 lb.

**COLOR OF INK:**

SEE DESCRIPTION

**MARGINS:**

Follow computer generated output.

**PROOFS:**

none required - see PDF for item 1 previous sample for item 2

**BINDING:**

SEE DESCRIPTION

**PACKING:**

ITEM 1 - WINDOW CLINGS - package suitably per container - shrinkwrapping not required

ITEM 2 - STICKERS - must be shrink wrapped in packages of 200 sheets each with a cardboard backing then packaged suitably per container

**DISTRIBUTION:**

F.O.B. DESTINATION

MUST ARRIVE AT DESTINATION ON OR BEFORE SCHEDULED DELIVERY DATE:

Deliver ITEMS 1 & 2 COMPLETE (includes 20 sheets of each as departmental random "blue label" copies) to: National Park Service, 1201 Eye Street, NW, 11th floor, Washington, DC 20005, Attn: Wendy Davis (202-513-7139)

Return all Government Furnished Materials (GFM) and 12 sample sheets of each item to: National Park Service, 1201 Eye Street, NW, Washington, DC 20005, Attn: Jerry Buckbinder (202-354-1905)

**QUALITY ASSURANCE LEVELS AND STANDARDS:** The following levels and standards shall apply to these specifications:

Inspection Levels (from ANSI/ASQC Z1.4):

(a) Non-destructive Tests -- General Inspection Level I.

(b) Destructive Tests -- Special Inspection Level S-2.

Specified Standards-- The specified standards for the attributes requiring them shall be:

ATTRIBUTE

SPECIFIED STANDARD

P-7. Type Quality and Uniformity Item 1:Furnished electronic media; Item 2:Previously printed sample

P-10. Process Color Match Item 1:Furnished electronic media; Item 2:Previously printed sample